



Free Standing Jib Cranes

Model A360 Series - Base Mounted



PRODUCT FEATURES:

- Spans and height combinations from 8'-20'.
- 360° rotation (when not obstructed).
- Design allows for easy rotation, even under full load.
- Units are fully self-supporting (must be anchored to specified foundation).
- Conforms to applicable standards.



“Friction Free” Full Circle Jib Crane

Designed for easy installation, minimal maintenance requirements, and years of trouble free service.

Heavy duty design with many quality features:

- ① Two roller design with articulated roller housing provides easy, precise rotation while reducing concentrated roller pressure on the pipe for most “normal” industrial applications.
- ② Jib head is designed for exact bearing alignment for trouble-free installations and “friction-free” rotation. Adjustable rollers insure proper boom leveling.
- ③ End stops provide a positive hoist/trolley stop, and allows for maximum in trolley travel.
- ④ Optional hoist/trolley package please see pages H.36 - H.37.

All cranes have been designed to easily accept a kit for powered rotation either with the initial order or at a later date. Krane-King® Motor Drive Packages are on page H.28.

See pages H.28 - H.29 for options.

Free Standing Jib Cranes

Model A360-1/4 - 1/4 Ton Capacity

SPECIFICATIONS

1/4 Ton Capacity*		Jib Arm Length - Span (feet)							
		8	10	12	14	16	18	20	
Height Under Jib Arm (feet)	8	Model Number	A360-1/4-8/8	A360-1/4-8/10	A360-1/4-8/12	A360-1/4-8/14	A360-1/4-8/16	A360-1/4-8/18	A360-1/4-8/20
		Pipe O.D. (in.)	8-5/8	8-5/8	8-5/8	12-3/4	12-3/4	12-3/4	12-3/4
		Overall Height	8'6-1/4"	8'6-1/4"	8'6-1/4"	8'8-1/4"	8'8-1/4"	8'10-3/8"	8'10-3/8"
		Flange Width (in.)	4	4	4	5-1/4	5-1/4	5-3/4	5-3/4
		Weight (lbs.)	855	885	905	1285	1327	1495	1555
	10	Model Number	A360-1/4-10/8	A360-1/4-10/10	A360-1/4-10/12	A360-1/4-10/14	A360-1/4-10/16	A360-1/4-10/18	A360-1/4-10/20
		Pipe O.D. (in.)	8-5/8	8-5/8	8-5/8	12-3/4	12-3/4	12-3/4	12-3/4
		Overall Height	10'6-1/4"	10'6-1/4"	10'6-1/4"	10'8-1/4"	10'8-1/4"	10'10-3/8"	10'10-3/8"
		Flange Width (in.)	4	4	4	5-1/4	5-1/4	5-3/4	5-3/4
		Weight (lbs.)	910	940	960	1350	1390	1560	1620
	12	Model Number	A360-1/4-12/8	A360-1/4-12/10	A360-1/4-12/12	A360-1/4-12/14	A360-1/4-12/16	A360-1/4-12/18	A360-1/4-12/20
		Pipe O.D. (in.)	8-5/8	8-5/8	12-3/4	12-3/4	12-3/4	12-3/4	12-3/4
		Overall Height	12'6-1/4"	12'6-1/4"	12'6-1/4"	12'8-1/4"	12'8-1/4"	12'10-3/8"	12'10-3/8"
		Flange Width (in.)	4	4	4	5-1/4	5-1/4	5-3/4	5-3/4
		Weight (lbs.)	965	995	1285	1415	1455	1625	1685
	14	Model Number	A360-1/4-14/8	A360-1/4-14/10	A360-1/4-14/12	A360-1/4-14/14	A360-1/4-14/16	A360-1/4-14/18	A360-1/4-14/20
		Pipe O.D. (in.)	8-5/8	8-5/8	12-3/4	12-3/4	12-3/4	12-3/4	14
		Overall Height	14'6-1/4"	14'6-1/4"	14'6-1/4"	14'8-1/4"	14'8-1/4"	14'10-3/8"	14'10-3/8"
		Flange Width (in.)	4	4	4	5-1/4	5-1/4	5-3/4	5-3/4
		Weight (lbs.)	1020	1050	1350	1480	1520	1690	2095
16	Model Number	A360-1/4-16/8	A360-1/4-16/10	A360-1/4-16/12	A360-1/4-16/14	A360-1/4-16/16	A360-1/4-16/18	A360-1/4-16/20	
	Pipe O.D. (in.)	8-5/8	8-5/8	12-3/4	12-3/4	12-3/4	12-3/4	14	
	Overall Height	16'6-1/4"	16'6-1/4"	16'6-1/4"	16'8-1/4"	16'8-1/4"	16'10-3/8"	16'10-3/8"	
	Flange Width (in.)	4	4	4	5-1/4	5-1/4	5-3/4	5-3/4	
	Weight (lbs.)	1080	1110	1420	1550	1590	1760	2185	
18	Model Number	A360-1/4-18/8	A360-1/4-18/10	A360-1/4-18/12	A360-1/4-18/14	A360-1/4-18/16	A360-1/4-18/18	A360-1/4-18/20	
	Pipe O.D. (in.)	8-5/8	8-5/8	12-3/4	12-3/4	14	14	14	
	Overall Height	18'6-1/4"	18'6-1/4"	18'6-1/4"	18'8-1/4"	18'8-1/4"	18'10-3/8"	18'10-3/8"	
	Flange Width (in.)	4	4	4	5-1/4	5-1/4	5-3/4	5-3/4	
	Weight (lbs.)	1135	1165	1485	1615	2050	2220	2280	
20	Model Number	A360-1/4-20/8	A360-1/4-20/10	A360-1/4-20/12	A360-1/4-20/14	A360-1/4-20/16	A360-1/4-20/18	A360-1/4-20/20	
	Pipe O.D. (in.)	8-5/8	8-5/8	12-3/4	12-3/4	14	14	16	
	Overall Height	20'6-1/4"	20'6-1/4"	20'6-1/4"	20'8-1/4"	20'8-1/4"	20'10-3/8"	20'10-3/8"	
	Flange Width (in.)	4	4	4	5-1/4	5-1/4	5-3/4	5-3/4	
	Weight (lbs.)	1190	1220	1550	2100	2140	2310	3070	
▲ Foundation Type		Type A 4' X 4' 3' Deep			Type C 5' X 5' 3' Deep				

* Total weight of hoist and trolley not to exceed 15% of rated capacity.

▲ See pages H.26 and H.27 for complete foundation information.

Clearance requirements -

2" Horizontal
3" Vertical

Complete hoist/trolley package information on pages H.36 and H.37.

Free Standing Jib Cranes



The Caldwell Group • 800-628-4263 • www.caldwellinc.com

Crane-King® Section
2014-2016 Master Catalog

Model A360-1/2 - 1/2 Ton Capacity

SPECIFICATIONS

1/2 Ton Capacity*		Jib Arm Length - Span (feet)							
		8	10	12	14	16	18	20	
Height Under Jib Arm (feet)	8	Model Number	A360-1/2-8/8	A360-1/2-8/10	A360-1/2-8/12	A360-1/2-8/14	A360-1/2-8/16	A360-1/2-8/18	A360-1/2-8/20
		Pipe O.D. (in.)	8-5/8	8-5/8	12-3/4	12-3/4	12-3/4	12-3/4	12-3/4
		Overall Height	8'6-1/4"	8'6-1/4"	8'8-1/4"	8'8-1/4"	8'10-3/8"	8'10-3/8"	9'0-1/2"
		Flange Width (in.)	4	4	5-1/4	5-1/4	5-3/4	5-3/4	6-1/2
		Weight (lbs.)	855	885	1200	1285	1450	1495	1690
	10	Model Number	A360-1/2-10/8	A360-1/2-10/10	A360-1/2-10/12	A360-1/2-10/14	A360-1/2-10/16	A360-1/2-10/18	A360-1/2-10/20
		Pipe O.D. (in.)	8-5/8	8-5/8	12-3/4	12-3/4	12-3/4	12-3/4	14
Overall Height		10'6-1/4"	10'6-1/4"	10'8-1/4"	10'8-1/4"	10'10-3/8"	10'10-3/8"	11'0-1/2"	
Flange Width (in.)		4	4	5-1/4	5-1/4	5-3/4	5-3/4	6-1/2	
12	Model Number	A360-1/2-12/8	A360-1/2-12/10	A360-1/2-12/12	A360-1/2-12/14	A360-1/2-12/16	A360-1/2-12/18	A360-1/2-12/20	
	Pipe O.D. (in.)	8-5/8	12-3/4	12-3/4	12-3/4	12-3/4	14	14	
	Overall Height	12'6-1/4"	12'6-1/4"	12'8-1/4"	13'0-1/2"	13'0-1/2"	13'4-1/8"	13'4-1/8"	
	Flange Width (in.)	4	4	5-1/4	6-1/2	6-1/2	7	7	
14	Model Number	A360-1/2-14/8	A360-1/2-14/10	A360-1/2-14/12	A360-1/2-14/14	A360-1/2-14/16	A360-1/2-14/18	A360-1/2-14/20	
	Pipe O.D. (in.)	8-5/8	12-3/4	12-3/4	12-3/4	12-3/4	14	14	
	Overall Height	14'6-1/4"	14'6-1/4"	14'10-3/8"	15'0-1/2"	15'0-1/2"	15'4-1/8"	15'4-1/8"	
	Flange Width (in.)	4	4	5-3/4	6-1/2	6-1/2	7	7	
16	Model Number	A360-1/2-16/8	A360-1/2-16/10	A360-1/2-16/12	A360-1/2-16/14	A360-1/2-16/16	A360-1/2-16/18	A360-1/2-16/20	
	Pipe O.D. (in.)	8-5/8	12-3/4	12-3/4	12-3/4	14	14	16	
	Overall Height	16'6-1/4"	16'6-1/4"	16'10-3/8"	17'0-1/2"	17'0-1/2"	17'4-1/8"	17'4-1/8"	
	Flange Width (in.)	4	4	5-3/4	6-1/2	6-1/2	7	7	
18	Model Number	A360-1/2-18/8	A360-1/2-18/10	A360-1/2-18/12	A360-1/2-18/14	A360-1/2-18/16	A360-1/2-18/18	A360-1/2-18/20	
	Pipe O.D. (in.)	8-5/8	12-3/4	12-3/4	14	14	16	16	
	Overall Height	18'6-1/4"	18'6-1/4"	18'10-3/8"	19'0-1/2"	19'0-1/2"	19'4-1/8"	19'4-1/8"	
	Flange Width (in.)	4	4	5-3/4	6-1/2	6-1/2	7	7	
20	Model Number	A360-1/2-20/8	A360-1/2-20/10	A360-1/2-20/12	A360-1/2-20/14	A360-1/2-20/16	A360-1/2-20/18	A360-1/2-20/20	
	Pipe O.D. (in.)	8-5/8	12-3/4	14	14	14	16	16	
	Overall Height	20'6-1/4"	20'6-1/4"	20'10-3/8"	21'0-1/2"	21'0-1/2"	21'4-1/8"	21'4-1/8"	
	Flange Width (in.)	4	4	5-3/4	6-1/2	6-1/2	7	7	
▲ Foundation Type		Type A 4' X 4' 3' Deep				Type C 5' X 5' 3' Deep			

* Total weight of hoist and trolley not to exceed 15% of rated capacity.

▲ See pages H.26 and H.27 for complete foundation information.

Clearance requirements -

2" Horizontal
3" Vertical

Complete hoist/trolley package information on pages H.36 and H.37.

Free Standing Jib Cranes

Model A360-1 - 1 Ton Capacity

SPECIFICATIONS

1 Ton Capacity*		Jib Arm Length - Span (feet)							
		8	10	12	14	16	18	20	
Height Under Jib Arm (feet)	8	Model Number	A360-1-8/8	A360-1-8/10	A360-1-8/12	A360-1-8/14	A360-1-8/16	A360-1-8/18	A360-1-8/20
		Pipe O.D. (in.)	12-3/4	12-3/4	12-3/4	14	14	14	14
		Overall Height	8'8-1/4"	8'8-1/4"	8'10-3/8"	9'0-1/2"	9'0-1/2"	9'4-1/8"	9'4-1/8"
		Flange Width (in.)	5-1/4	5-1/4	5-3/4	6-1/2	6-1/2	7	7
		Weight (lbs.)	1135	1215	1350	1765	1825	2110	2195
	10	Model Number	A360-1-10/8	A360-1-10/10	A360-1-10/12	A360-1-10/14	A360-1-10/16	A360-1-10/18	A360-1-10/20
		Pipe O.D. (in.)	12-3/4	12-3/4	12-3/4	14	14	14	14
		Overall Height	10'8-1/4"	10'8-1/4"	10'10-3/8"	11'0-1/2"	11'0-1/2"	11'4-1/8"	11'4-1/8"
		Flange Width (in.)	5-1/4	5-1/4	5-3/4	6-1/2	6-1/2	7	7
		Weight (lbs.)	1205	1280	1415	1855	1920	2205	2290
	12	Model Number	A360-1-12/8	A360-1-12/10	A360-1-12/12	A360-1-12/14	A360-1-12/16	A360-1-12/18	A360-1-12/20
		Pipe O.D. (in.)	12-3/4	12-3/4	14	14	16	16	16
		Overall Height	12'8-1/4"	12'8-1/4"	12'10-3/8"	13'0-1/2"	13'0-1/2"	13'4-1/8"	13'4-1/8"
		Flange Width (in.)	5-1/4	5-1/4	5-3/4	6-1/2	6-1/2	7	7
		Weight (lbs.)	1270	1345	1800	1950	2570	2850	2935
	14	Model Number	A360-1-14/8	A360-1-14/10	A360-1-14/12	A360-1-14/14	A360-1-14/16	A360-1-14/18	A360-1-14/20
		Pipe O.D. (in.)	12-3/4	12-3/4	14	14	16	18	18
		Overall Height	14'8-1/4"	14'8-1/4"	14'10-3/8"	15'0-1/2"	15'0-1/2"	15'4-1/8"	15'4-1/8"
		Flange Width (in.)	5-1/4	5-1/4	5-3/4	6-1/2	6-1/2	7	7
		Weight (lbs.)	1335	1410	1885	2040	2700	3325	3410
	16	Model Number	A360-1-16/8	A360-1-16/10	A360-1-16/12	A360-1-16/14	A360-1-16/16	A360-1-16/18	A360-1-16/20
Pipe O.D. (in.)		12-3/4	12-3/4	14	16	18	18	18	
Overall Height		16'8-1/4"	16'8-1/4"	16'10-3/8"	17'0-1/2"	17'0-1/2"	17'4-1/8"	17'4-1/8"	
Flange Width (in.)		5-1/4	5-1/4	5-3/4	6-1/2	6-1/2	7	7	
Weight (lbs.)		1400	1480	1980	2760	3180	3460	3550	
18	Model Number	A360-1-18/8	A360-1-18/10	A360-1-18/12	A360-1-18/14	A360-1-18/16	A360-1-18/18	A360-1-18/20	
	Pipe O.D. (in.)	12-3/4	14	16	16	18	18	18	
	Overall Height	18'8-1/4"	18'8-1/4"	18'10-3/8"	19'0-1/2"	19'0-1/2"	19'4-1/8"	19'4-1/8"	
	Flange Width (in.)	5-1/4	5-1/4	5-3/4	6-1/2	6-1/2	7	7	
	Weight (lbs.)	1465	1940	2735	2885	3320	3600	3690	
20	Model Number	A360-1-20/8	A360-1-20/10	A360-1-20/12	A360-1-20/14	A360-1-20/16	A360-1-20/18	A360-1-20/20	
	Pipe O.D. (in.)	12-3/4	14	16	18	18	20	20	
	Overall Height	20'8-1/4"	20'8-1/4"	20'10-3/8"	21'0-1/2"	21'0-1/2"	21'4-1/8"	21'4-1/8"	
	Flange Width (in.)	5-1/4	5-1/4	5-3/4	6-1/2	6-1/2	7	7	
	Weight (lbs.)	1530	2030	2860	3400	3460	4590	4680	
▲ Foundation Type		Type D 5' X 5' 4' Deep			Type E 6' X 6' 4' Deep		Type F 7' X 7' 4' Deep		

* Total weight of hoist and trolley not to exceed 15% of rated capacity.

▲ See pages H.26 and H.27 for complete foundation information.

Clearance requirements -

2" Horizontal
3" Vertical

Complete hoist/trolley package information on pages H.36 and H.37.

Free Standing Jib Cranes

Model A360-2 - 2 Ton Capacity

SPECIFICATIONS

2 Ton Capacity*		Jib Arm Length - Span (feet)							
		8	10	12	14	16	18	20	
Height Under Jib Arm (feet)	8	Model Number	A360-2-8/8	A360-2-8/10	A360-2-8/12	A360-2-8/14	A360-2-8/16		
		Pipe O.D. (in.)	14	14	16	16	16		
		Overall Height	8'10-3/8"	9'0-1/2"	9'0-1/2"	9'4-1/8"	9'6-1/8"	N/A	N/A
		Flange Width (in.)	5-3/4	6-1/2	6-1/2	7	7-1/2		
		Weight (lbs.)	1510	1640	2200	2445	2700		
	10	Model Number	A360-2-10/8	A360-2-10/10	A360-2-10/12	A360-2-10/14	A360-2-10/16	A360-2-10/18	A360-2-10/20
		Pipe O.D. (in.)	14	14	16	16	16	18	18
Overall Height		10'10-3/8"	11'0-1/2"	11'0-1/2"	11'4-1/8"	11'6-1/8"	11'6-1/8"	11'6-1/8"	
12	Model Number	A360-2-12/8	A360-2-12/10	A360-2-12/12	A360-2-12/14	A360-2-12/16	A360-2-12/18	A360-2-12/20	
	Pipe O.D. (in.)	14	14	16	16	16	18	18	
	Overall Height	12'10-3/8"	13'0-1/2"	13'0-1/2"	13'4-1/8"	13'6-1/8"	13'6-1/8"	13'6-1/8"	
14	Model Number	A360-2-14/8	A360-2-14/10	A360-2-14/12	A360-2-14/14	A360-2-14/16	A360-2-14/18	A360-2-14/20	
	Pipe O.D. (in.)	14	14	16	16	18	18	20	
	Overall Height	14'10-3/8"	15'0-1/2"	15'0-1/2"	15'4-1/8"	15'6-1/8"	15'6-1/8"	15'6-1/8"	
16	Model Number	A360-2-16/8	A360-2-16/10	A360-2-16/12	A360-2-16/14	A360-2-16/16	A360-2-16/18	A360-2-16/20	
	Pipe O.D. (in.)	14	14	16	18	18	18	24	
	Overall Height	16'10-3/8"	17'0-1/2"	17'0-1/2"	17'4-1/8"	17'6-1/8"	17'6-1/8"	17'6-1/8"	
18	Model Number	A360-2-18/8	A360-2-18/10	A360-2-18/12	A360-2-18/14	A360-2-18/16	A360-2-18/18	A360-2-18/20	
	Pipe O.D. (in.)	14	16	18	18	20	20	24	
	Overall Height	18'10-3/8"	19'0-1/2"	19'0-1/2"	19'4-1/8"	19'6-1/8"	19'6-1/8"	19'6-1/8"	
20	Model Number	A360-2-20/8	A360-2-20/10	A360-2-20/12	A360-2-20/14	A360-2-20/16	A360-2-20/18	A360-2-20/20	
	Pipe O.D. (in.)	14	16	18	18	20	20	24	
	Overall Height	20'10-3/8"	21'0-1/2"	21'0-1/2"	21'4-1/8"	21'6-1/8"	21'6-1/8"	21'6-1/8"	
▲ Foundation Type		Type E 6' X 6' 4' Deep			Type F 7' X 7' 4' Deep		Type G 8' X 8' 4' Deep		

* Total weight of hoist and trolley not to exceed 15% of rated capacity.

▲ See pages H.26 and H.27 for complete foundation information.

Clearance requirements -

2" Horizontal

3" Vertical

Complete hoist/trolley package information on pages H.36 and H.37.

Free Standing Jib Cranes

Model A360-3 - 3 Ton Capacity

SPECIFICATIONS

3 Ton Capacity*			Jib Arm Length - Span (feet)						
			8	10	12	14	16	18	20
Height Under Jib Arm (feet)	10	Model Number	A360-3-10/8	A360-3-10/10	A360-3-10/12	A360-3-10/14	A360-3-10/16	A360-3-10/18	A360-3-10/20
		Pipe O.D. (in.)	16	16	18	18	20	20	24
		Overall Height	11'0-1/2"	11'4-1/8"	11'4-1/8"	11'6-1/8"	11'6-1/8"	11'9"	12'0-1/2"
		Flange Width (in.)	6-1/2	7	7	7-1/2	7-1/2	8-1/4	9
		Weight (lbs.)	2200	2390	2810	3090	3690	4030	5070
	12	Model Number	A360-3-12/8	A360-3-12/10	A360-3-12/12	A360-3-12/14	A360-3-12/16	A360-3-12/18	A360-3-12/20
		Pipe O.D. (in.)	16	16	18	18	20	20	24
		Overall Height	13'0-1/2"	13'4-1/8"	13'4-1/8"	13'6-1/8"	13'6-1/8"	13'9"	14'0-1/2"
		Flange Width (in.)	6-1/2	7	7	7-1/2	7-1/2	8-1/4	9
		Weight (lbs.)	2325	2515	2955	3235	3900	4240	5320
	14	Model Number	A360-3-14/8	A360-3-14/10	A360-3-14/12	A360-3-14/14	A360-3-14/16	A360-3-14/18	A360-3-14/20
		Pipe O.D. (in.)	16	16	18	18	20	20	24
		Overall Height	15'0-1/2"	15'4-1/8"	15'4-1/8"	15'6-1/8"	15'6-1/8"	15'9"	16'0-1/2"
		Flange Width (in.)	6-1/2	7	7	7-1/2	7-1/2	8-1/4	9
		Weight (lbs.)	2455	2645	3095	3375	4110	4450	5575
	16	Model Number	A360-3-16/8	A360-3-16/10	A360-3-16/12	A360-3-16/14	A360-3-16/16	A360-3-16/18	A360-3-16/20
		Pipe O.D. (in.)	16	16	18	18	20	24	24
		Overall Height	17'0-1/2"	17'4-1/8"	17'4-1/8"	17'6-1/8"	17'6-1/8"	17'9"	18'0-1/2"
		Flange Width (in.)	6-1/2	7	7	7-1/2	7-1/2	8-1/4	9
		Weight (lbs.)	2580	2770	3240	3520	4320	5295	5825
	18	Model Number	A360-3-18/8	A360-3-18/10	A360-3-18/12	A360-3-18/14	A360-3-18/16	A360-3-18/18	A360-3-18/20
		Pipe O.D. (in.)	16	16	18	20	24	24	24
		Overall Height	19'0-1/2"	19'4-1/8"	19'4-1/8"	19'6-1/8"	19'6-1/8"	19'9"	20'0-1/2"
		Flange Width (in.)	6-1/2	7	7	7-1/2	7-1/2	8-1/4	9
Weight (lbs.)		2705	2895	3380	4420	5210	5550	6080	
20	Model Number	A360-3-20/8	A360-3-20/10	A360-3-20/12	A360-3-20/14	A360-3-20/16	A360-3-20/18	A360-3-20/20	
	Pipe O.D. (in.)	16	16	20	20	24	24	24	
	Overall Height	21'0-1/2"	21'4-1/8"	21'4-1/8"	21'6-1/8"	21'6-1/8"	21'9"	22'0-1/2"	
	Flange Width (in.)	6-1/2	7	7	7-1/2	7-1/2	8-1/4	9	
	Weight (lbs.)	2835	3025	4350	4630	5460	5800	6330	
▲ Foundation Type			Type F 7' X 7' 4' Deep			Type G 8' X 8' 4' Deep		Type H 9' X 9' 4' Deep	

* Total weight of hoist and trolley not to exceed 15% of rated capacity.

▲ See pages H.26 and H.27 for complete foundation information.

Clearance requirements -

2" Horizontal
3" Vertical

Complete hoist/trolley package information on pages H.36 and H.37.

Free Standing Jib Cranes

Model A360-5 - 5 Ton Capacity

SPECIFICATIONS

5 Ton Capacity*		Jib Arm Length - Span (feet)							
		8	10	12	14	16	18	20	
Height Under Jib Arm (feet)	10	Model Number	A360-5-10/8	A360-5-10/10	A360-5-10/12	A360-5-10/14	A360-5-10/16		
		Pipe O.D. (in.)	18	20	24	24	24		
		Overall Height	11'4-1/8"	11'6-1/8"	11'6-1/8"	11'9"	12'0-1/2"	N/A	N/A
		Flange Width (in.)	7	7-1/2	7-1/2	8-1/4	9		
		Weight (lbs.)	2640	3360	3980	4270	4710		
	12	Model Number	A360-5-12/8	A360-5-12/10	A360-5-12/12	A360-5-12/14	A360-5-12/16	A360-5-12/18	A360-5-12/20
		Pipe O.D. (in.)	18	20	24	24	24	30	30
		Overall Height	13'4-1/8"	13'6-1/8"	13'6-1/8"	13'9"	14'0-1/2"	14'0-1/4"	14'-1/4"
		Flange Width (in.)	7	7-1/2	7-1/2	8-1/4	9	9-1/8	9-1/8
		Weight (lbs.)	2780	3570	4230	4520	4960	7180	7390
	14	Model Number	A360-5-14/8	A360-5-14/10	A360-5-14/12	A360-5-14/14	A360-5-14/16	A360-5-14/18	A360-5-14/20
		Pipe O.D. (in.)	18	20	24	24	24	30	30
		Overall Height	15'4-1/8"	15'6-1/8"	15'6-1/8"	15'9"	16'0-1/2"	16'0-1/4"	16'0-1/4"
		Flange Width (in.)	7	7-1/2	7-1/2	8-1/4	9	9-1/8	9-1/8
		Weight (lbs.)	2925	3780	4485	4775	5215	7500	7715
	16	Model Number	A360-5-16/8	A360-5-16/10	A360-5-16/12	A360-5-16/14	A360-5-16/16	A360-5-16/18	A360-5-16/20
		Pipe O.D. (in.)	18	20	24	24	24	30	30
		Overall Height	17'4-1/8"	17'6-1/8"	17'6-1/8"	17'9"	18'0-1/2"	18'0-1/4"	18'0-1/4"
		Flange Width (in.)	7	7-1/2	7-1/2	8-1/4	9	9-1/8	9-1/8
		Weight (lbs.)	3065	3990	4735	5025	5465	7820	8035
	18	Model Number	A360-5-18/8	A360-5-18/10	A360-5-18/12	A360-5-18/14	A360-5-18/16	A360-5-18/18	A360-5-18/20
		Pipe O.D. (in.)	18	20	24	24	24	30	30
		Overall Height	19'4-1/8"	19'6-1/8"	19'6-1/8"	19'9"	20'0-1/2"	20'0-1/4"	20'0-1/4"
		Flange Width (in.)	7	7-1/2	7-1/2	8-1/4	9	9-1/8	9-1/8
Weight (lbs.)		3205	4200	4990	5280	5720	8140	8355	
20	Model Number	A360-5-20/8	A360-5-20/10	A360-5-20/12	A360-5-20/14	A360-5-20/16	A360-5-20/18	A360-5-20/20	
	Pipe O.D. (in.)	18	20	24	24	24	30	30	
	Overall Height	21'4-1/8"	21'6-1/8"	21'6-1/8"	21'9"	22'0-1/2"	22'0-1/4"	22'0-1/4"	
	Flange Width (in.)	7	7-1/2	7-1/2	8-1/4	9	9-1/8	9-1/8	
	Weight (lbs.)	3350	4410	5240	5530	5970	8460	8675	
▲ Foundation Type		Type H 9' X 9' 4' Deep				Type I 10' X 10' 4' Deep			

* Total weight of hoist and trolley not to exceed 15% of rated capacity.

▲ See pages H.26 and H.27 for complete foundation information.

Clearance requirements -

2" Horizontal
3" Vertical

Complete hoist/trolley package information on pages H.36 and H.37.